

2026

BROCHURE

NORDIC VITALITY × AllRecovery

COLD & HOT TUBS

NORDIC VITALITY x AllRecovery

Experience Europe's Finest Wellness Tubs, **Now in Costa Rica.**



WHY CHOOSE NORDIC VITALITY

Quiet Luxury. Designed for Recovery.

Nordic Vitality creates architectural wellness experiences inspired by Japanese bathing rituals and refined through Scandinavian design philosophy.

Designed to elevate both body and space.

Japanese Onsen Inspired Experience

Inspired by the timeless tradition of Japanese bathing culture, Nordic Vitality is designed around the idea that immersion should restore both body and mind.

A slower rhythm. A quieter atmosphere. A more intentional wellness experience.

Architectural Luxury Design

Minimal lines. Balanced proportions. Timeless elegance.

Every Nordic Vitality bath is thoughtfully designed to integrate seamlessly into contemporary architecture and premium indoor or outdoor spaces.

Created not only to perform — but to belong beautifully within the environment around it.

Crafted With Premium Stone Interiors

Nordic Vitality features refined stone interiors that deliver a uniquely sophisticated aesthetic and tactile experience inspired by nature itself.

A cleaner, more elevated alternative to conventional acrylic spas.

Handcrafted in Estonia

Every Nordic Vitality bath is handcrafted in Estonia using premium materials, advanced European craftsmanship, and meticulous attention to detail.

Built for those who value timeless design, wellness, and uncompromising quality.

NORDIC VITALITY x AllRecovery



STIG recessed with Diamond Cream finishing

TABLE OF CONTENTS

01 ABOUT NORDIC VITALITY
02 FEATURES
03 PRODUCTS
04 BJÖRN
05 LOKI
06 FRODE
07 THOR
08 STIG recessed
09 STIG freestanding
10 FINISHINGS
11 CUSTOMIZATION
12 TECHNICAL
13 CONTACT US



FRODE with Porfido Marrone finishing

01

At Nordic Vitality, we believe that true well-being begins with balance – between nature, body, and mind. Rooted in the purity and simplicity of the Nordic lifestyle, our products are designed to support everyday wellness in a natural and sustainable way. We carefully select each item for its quality, functionality, and ability to enhance daily life. From wellness essentials to lifestyle solutions, everything we offer reflects our commitment to timeless design and responsible choices.

As a former Olympic athlete, I bring firsthand experience and deep understanding of the importance of cold water immersion in the recovery process.

Our mission is to inspire healthier habits while respecting the environment and the people we serve. Whether you're seeking calm, energy, or clarity, Nordic Vitality is here to guide you on your personal journey to well-being. Experience the power of Nordic simplicity — and bring vitality into your everyday life.





LOKI with Pietra di Savoia finishing

02 FEATURES

silent
<53dB
(at 1m dist.)

saves
up to 75%
energy

UV
sanitation
& skimmer

custom
solutions

100+
finishings

stone
interior

automatic
water
sanitation**


Water
temperature
+5°C to 40°C/
41°F to 104°F

tap water
connection &
overflow

water
quality
monitoring
system**

water jets
& air jets**

Operating
range* -5°C to
43°C / 23 °F
to 109°F



LOKI with custom finishing



BJÖRN with Invisible White finishing


All products are capable of both cooling and heating water.

03 PRODUCTS

LOKI
For 1 person, integrated technical pack



THOR
Deep plunge for 1 person, integrated technical pack



STIG recessed
Recessed hot tub for 6 people, separate technical pack



BJÖRN
For 1 person, separate technical pack



FRODE
Deep plunge for 1 person, separate technical pack



STIG freestanding
Freestanding hot tub for 6 people, separate technical pack





THOR with Invisible White finishing


04 BJÖRN

BJÖRN - small & quiet
Our smallest model BJÖRN is designed to fit in smaller spaces. With a separate technical pack you can enjoy a peaceful bathing experience.




REQUIREMENTS
US - Power Supply AC110-127V, 15Amp GFCI outlet
Wastewater connection
Tap water connection (optional)

DIMENSIONS
170x90x65(h) cm/70x35.43x25.59(h) in
Water volume 400 L/105 gal
Net weight 230 kg/510 lbs



EQUIPMENT CABINET



REQUIREMENTS
Install no more than 5 m/15 ft from bath
Ensure the unit is placed on a level surface

DIMENSIONS
75x95x65(h) cm/35.43x23.62x26(h) in
Net weight 120 kg/265 lbs (includes technical pack)

CABINET
Includes the whole technical pack.
Finishing with stone or wood cladding (optional)
Can be installed in a technical room or next to bath




BJÖRN with Porfido Marrone finishing

05 LOKI

LOKI - bath with integrated technical pack
Simply plug it in, connect the water and drainage — and you're ready to enjoy your bath





REQUIREMENTS
US - Power Supply AC110-127V, 15Amp GFCI outlet
Wastewater connection
Tap water connection (optional)

DIMENSIONS
223x97x65(h) cm / 87.8x38.23x25.59 (h) in
Water volume 360 L / 95 gal
Net weight 270-300/ 595-660 lbs




LOKI with Noir Desir & Thermo Ash finishing

06 FRODE

FRODE - deep & quiet.
If you're seeking a deeper plunge, FRODE is the ideal solution.





REQUIREMENTS
US - Power Supply AC110-127V, 15Amp GFCI outlet
Wastewater connection
Tap water connection (optional)

DIMENSIONS (with ladder)
115x136x200(h) cm / 47.2x45.2x78.7 (h) in
Water volume 850 L / 225 gal
Net weight 400-430 kg / 880-950 lbs

REQUIREMENTS
Install no more than 5 m / 15 ft from bath
Ensure the unit is placed on a level surface

DIMENSIONS
75x95x65(h) cm / 35.43x23.62x26 (h) in
Net weight- 120 kg / 265 lbs (includes technical pack)

CABINET
Includes the whole technical pack.
Finishing with stone or wood cladding (optional)
Can be installed in a technical room or next to bath

EQUIPMENT CABINET






FRODE with Invisible White finishing

07 THOR

THOR - deep bath with integrated technical pack

Simply plug it in, connect the tap and drainage – and you're all set!






REQUIREMENTS
US - Power Supply AC110-127V, 15Amp GFCI outlet
Wastewater connection
Tap water connection (optional)

DIMENSIONS (with ladder)
198x115x200 (h) cm / 77.9x45.3x78.7 (h) in
Water volume 1000 L / 265 gal
Net weight 580-620 kg / 1280-1370 lbs



THOR with Travertino Beige finishing

08 **STIG** recessed



STIG recessed - hot tub for six people

The STIGrecessed is an in-ground model. The bath's equipment is housed in a separate unit, ensuring a quiet and pleasant spa experience.

REQUIREMENTS

- US - Power Supply AC110-127V, 15 Amp (with chiller), 32 Amp (with heater) GFCI dedicated outlet
- Wastewater connection
  Tap water connection (optional)




CABINET REQUIREMENTS
Install no more than 5 m / 15 ft from bath
Ensure the unit is placed on a level surface

DIMENSIONS
75x95x65 (h) cm / 35.43x23.62x26 (h) in
Net weight- 120 kg / 265 lbs (incl. technical pack)

DIMENSIONS - STIG recessed
210x200x44(h) cm / 82.7x78.7x17.3 (h) in
Recess depth 65 cm / 25.6 in
Water volume 1350 L / 355 gal
Net weight 460-490 kg / 1015-1080 lbs

CABINET
Includes the whole technical pack.
Finishing with stone or wood cladding (optional)
Can be installed in a technical room to reduce any noise near the bath

EQUIPMENT CABINET
(only when using chiller)






STIG recessed with Invisible White finishing

09 **STIG** freestanding

STIG freestanding - hot tub for six people

STIG freestanding is a surface mounted model, with all technical components placed in a separate unit to ensure a peaceful and relaxing spa atmosphere.





REQUIREMENTS

- US - Power Supply AC110-127V, 15 Amp (with chiller), 32 Amp (with heater) GFCI dedicated outlet
- Wastewater connection
  Tap water connection (optional)


DIMENSIONS - STIG freestanding
210x200x110(h) cm / 82.7x78.7x43.3 (h) in
Water volume 1350 L / 355 gal
Net weight 560-590 kg / 1235-1300 lbs

CABINET REQUIREMENTS
Install no more than 5 m / 15 ft from bath
Ensure the unit is placed on a level surface

DIMENSIONS
75x95x65 (h) cm/35.43x23.62x26 (h) in
Net weight 120 kg / 265 lbs (incl. technical pack)

CABINET
Includes the whole technical pack.
Finishing with stone or wood cladding (optional)
Can be installed in a technical room to reduce any noise near the bath

EQUIPMENT CABINET
(only when using chiller)






STIG freestanding with Custom finishing

10 FINISHINGS

INTERIOR AND EXTERIOR FINISHING

Looking for something unique? In addition to our standard collection, we offer over 80 custom finishing options to suit your individual taste






Porfido Marrone



Emperador Extra



Calacatta Black



Ardesia Nero




Pietra Grey



Savoia di Perla



Thermo Ash



Noir Desir



Invisible White

Ardesia Bianco



Travertino Beige



Diamond Cream



LOKI with Porfido Marrone finishing





BJÖRN with custom finishing

BJÖRN with custom finishing


10 FINISHINGS

BATH COVERS

All baths include insulated bath covers that come in 5 different finishings













custom STIG Porfido Marrone finishing

11 CUSTOMIZATION

SIZE & LAYOUT

- bath max size 2980x2980x1500h mm / 117.3x117.3x59.0 in
- bath layout as per Client's wishes
- as ceramic slab dimensions depend on the finish, larger models may require joints that remain visible on the surface
- no round edges

EQUIPMENT

- automatic water sanitation
- water quality monitoring system
- winter package - operating range down to -20°C / -4°F
- water jets & air jets
- LED lights 2700K or RGB
- Client's own equipment

MATERIALS

- 100+ ceramic stone finishings
- various thermowood profiles and finishes for external cladding
- finishing by Client on site

PROCESS

1. Client's project brief
2. drawings, 3D renderings, and quotation provided by Nordic Vitality
3. Client's approval
4. shop drawings provided by Nordic Vitality
5. Client approval and 50% advance payment
6. start of production
7. bath completed
8. second payment of 50% for the bath
9. delivery arranged either by Nordic Vitality or the Client





12 TECHNICAL

INSTALLATION
The product is suitable for both indoor and outdoor use,
and meets the needs of both private and commercial customers

ELECTRICAL CONNECTIONS
US - Power Supply AC110-127V, 15Amp GFCI outlet

WATER CONNECTIONS
Wastewater connection
Tap water connection

CHILLER
Water temp 5°-40°C/ 41°-104°F
Environment- friendly refrigerant R32
Noise <53 dB from 1m (3 feet) distance

LIGHTS
LED strips inside and outside.
Dimmable LED lighting and colour temperature
Wireless remote

INCLUDED
Handcrafted bath with insulated bath cover
Lifting boards with straps
Integrated control panel

Adjustable legs
UV sanitation and skimmer
Double filtration system
Integrated tap and overflow
Dimmable LED lighting and colour temperature
Water quality monitoring system (optional)
Automatic water sanitation (optional)
Ambient temperature heating -5°-43°C/ 23°-109°F
Ambient temperature cooling 10°-40°C/50°-104°F



LOKI with Diamond Cream & Thermo Ash finishing







THOR with Calacatta Black finishing



BJÖRN with Invisible V Thermo Ash finishing



LOKI with Calacatta Black finishing



THOR with custom solution & Noir Desir finishing



LOKI with Porfido Marrone finishing

CONTACT US

Email Address	dgonzalez@allrecoverycr.com
Website	www.allrecoverycr.com
Phone Number	(+506) 8448-3779
Instagram	allrecovery.cr
Location	Costa Rica.

Warranty	2 years




NORDIC
VITALITY
x
AllRecovery